

EDÍCIA ZDRAVOTNÍCKA ŠTATISTIKA

Pohlavné choroby v SR 2007

Sexually transmitted
diseases in SR 2007

Ročník 2008
ZŠ-1/2008

Content

Introduction	9
Development in reported diseases number of venereal diseases	11
Development in number of reported diseases of syphilis and gonococcal infection per 100 000 inhabitants (graph)	12
Structure of reported venereal diseases (graph).....	13
Reported diseases of syphilis and gonococcal infection according to permanent address (graph)	13
Reported diseases of syphilis and gonococcal infection according to permanent address within years 2003 – 2007	14
Reported affections of venereal diseases according to age	16
Reported affections of venereal diseases according to diagnoses, sex and type of affection	17
Reported affections of venereal diseases according to diagnoses, sex and type of affection	18
Reported affections of venereal diseases according to diagnoses, economic activity and sex	19
Reported affections of venereal diseases according to diagnoses, marital status and sex	20
Reported affections of venereal diseases according to age groups, sex and diagnoses (nationals and foreigners)	21
Reported affections of venereal diseases according to age groups, sex and type of affection (nationals)	22
Reported affections of venereal diseases according to age groups, sex and type of affection (foreigners)	24
Reported affections of syphilis and gonococcal infection according to sex and permanent address	26
Reported affections of venereal diseases according to permanent address	28

<i>Reported affections of venereal diseases according to permanent address per 100 000 inhabitants</i>	30
<i>Reported diseases of syphilis according to sex and territory of permanent address</i>	32
<i>Reported diseases of gonococcal infection according to sex and territory of permanent address</i>	32
<i>Incidence of syphilis diseases according to regions (graph)</i>	33
<i>Incidence of gonococcal infection diseases according to regions (graph)</i>	33
<i>Reported diseases of syphilis according to permanent address per 100 000 inhabitants (map)</i>	34
<i>Reported diseases of gonococcal infection according to permanent address per 100 000 inhabitants (map)</i>	34
<i>Verbal expression of diagnoses used in publication</i>	35
<i>Codes of regions SR</i>	35
<i>The Slovak Republic – districts (map)</i>	36

Introduction

The publication belongs to the edition Health Statistics published by National Health Information Center Bratislava. Basis for processing statistical data is the Report on Sexually Transmitted Diseases Z (MZ SR) 8 – 12, sent by dermatovenerology departments of health care providers. Those facilities provide health care to patients with sexually transmitted disease in line with Mandatory measure against sexually transmitted diseases (Directive of MoH SR registered in Collection of Acts, part 51 dated 29 December 1968).

The publication contains data on sexually transmitted diseases – syphilis, gonococcal infection, chlamydial lymphogranuloma, ulcus molle, and other diseases with a predominantly sexual mode of transmission (dg A56, A59.0, A60.0, A60.1, A63, A64, B16, B20, B25, B37.3, B37.4, B85.3, B86), on their course (ever first time in life), relaps, reinfection, chronic, by gender, age groups, marital status, economic activity, territory of residence, and territory of identified sexually transmitted disease.

The publication contains timelines of reported venereal diseases from 1960 – 2007 in SR, and reported affections on syphilis and gonococcal infection by counties and districts from 2000 – 2007.

721 affections of venereal diseases were reported including members of armed forces and foreigners, which is in comparison with 2006 an increase by 25 cases, i. e. by 3,6 %. Males contributed with 390 cases, which is 54,1 %, and females with 331 cases, representing 45,9 %.

233 cases of syphilis was diagnosed including members of armed forces and foreigners. It is a growth by 8 cases compared with 2006.

Highest incidence of syphilis was recorded among males with permanent residence aged 25 – 34 (30 cases), and among females aged 25 – 34 (39 cases).

120 cases of gonococcal infection were reported, which is compared to 2006 an increase of 17 cases.

Incidence of gonococcal infection was by 66 cases higher in males than in females.

There were 368 cases of other diseases with a predominantly sexual mode of transmission.

VÝVOJ POČTU OCHORENÍ NA POHLAVNÉ CHOROBY*

DEVELOPMENT IN REPORTED DISEASES NUMBER OF VENEREAL DISEASES*

Tabuľka 1
1/2

Rok Year	Počet hlásených pohlavných ochorení / Number of reported venereal diseases							
	syphilis <i>syphilis</i>	gonokoková infekcia <i>gonococcal infection</i>	chlamýdiový lymfogranu- lóm a mäkký vred <i>chlamydial lymphogran- uloma and ulcus molle</i>	iné prevažne sexuálne prenosné choroby <i>other diseases with predominantly sexual transmission</i>	na 100 000 obyvateľov / per 100 000 population			
					syphilis <i>syphilis</i>	gonokoková infekcia <i>gonococcal infection</i>	chlamýdiový lymfogranu- lóm a mäkký vred <i>chlamydial lymphogran- uloma and ulcus molle</i>	iné prevažne sexuálne prenosné choroby <i>other diseases with predominantly sexual transmission</i>
1960	391	488	–	.	9,8	12,2	–	.
1965	217	1160	1	.	5,0	26,5	0,0	.
1970	256	3372	–	.	5,7	74,5	–	.
1975	293	3042	–	.	6,2	64,2	–	.
1980	149	3168	1	.	3,0	63,6	0,0	.
1981	127	3370	–	.	2,5	67,2	–	.
1982	84	3363	–	.	1,7	66,5	–	.
1983	69	3201	–	.	1,4	62,9	–	.
1984	103	2618	–	.	2,0	51,1	–	.
1985	66	2778	1	.	1,3	53,8	0,0	.
1986	82	2590	1	.	1,6	49,9	0,0	.
1987	92	2145	1	.	1,8	41,1	0,0	.
1988	92	1855	1	.	1,7	35,3	0,0	.
1989	50	1606	–	.	1,0	30,4	–	.
1990	32	1980	1	.	0,6	37,5	0,0	.
1991	42	1982	–	.	0,8	37,5	–	.
1992	114	1850	–	.	2,2	34,5	–	.
1993	58	1347	–	.	1,1	35,4	–	.
1994	89	694	1	427	1,7	13,0	0,0	8,0
1995	114	476	–	409	2,1	8,9	–	7,6
1996	154	224	–	320	2,9	4,2	–	6,0
1997	191	197	1	378	3,5	3,7	0,0	7,0
1998	171	137	1	444	3,2	2,5	0,0	8,2
1999	279	108	–	346	5,2	2,0	–	6,4
2000	384	85	–	320	7,0	1,6	–	5,9
2001	356	139	4	334	6,2	2,5	–	6,1
2002	323	118	2	365	6,0	2,2	0,0	6,8
2003	230	84	3	360	4,0	1,6	0,0	6,6

VÝVOJ POČTU OCHORENÍ NA POHLAVNÉ CHOROBY*

DEVELOPMENT IN REPORTED DISEASES NUMBER OF VENEREAL DISEASES*


Tabuľka 1
2/2

Rok Year	Počet hlásených pohlavných ochorení / Number of reported venereal diseases							
	syfilis <i>syphilis</i>	gonokoková infekcia <i>gonococcal infection</i>	chlamýdiový lymfogranu- lóm a mäkký vred <i>chlamydial lymphogran- uloma and ulcus molle</i>	iné prevažne sexuálne prenosné choroby <i>other diseases with predominantly sexual transmission</i>	na 100 000 obyvateľov / per 100 000 population			
					syfilis <i>syphilis</i>	gonokoková infekcia <i>gonococcal infection</i>	chlamýdiový lymfogranu- lóm a mäkký vred <i>chlamydial lymphogran- uloma and ulcus molle</i>	iné prevažne sexuálne prenosné choroby <i>other diseases with predominantly sexual transmission</i>
2004	204	128	3	444	3,4	2,3	0,1	8,2
2005	168	109	–	486	3,1	2,0	–	9,0
2006	222	102	2	366	4,1	1,9	0,0	6,8
2007	224	120	–	368	4,1	2,2	–	6,8

* Len občania s trvalým pobytom v SR / Only patients with permanent residence in the SR

VÝVOJ POČTU HLÁSENÝCH OCHORENÍ NA SYFILIS
A GONOKOKOVÚ INFEKCIU NA 100 000 OBYVATEĽOVDEVELOPMENT IN NUMBER OF REPORTED DISEASES OF SYPHILIS
AND GONOCOCCAL INFECTION PER 100 000 INHABITANTS


Graf 1



ŠTRUKTÚRA HLÁSENÝCH POHLAVNÝCH CHORÔB

STRUCTURE OF REPORTED VENEREAL DISEASES


Graf 2



HLÁSENÉ OCHORENIA NA SYFILIS A GONOKOKOVÚ INFEKCIU PODĽA TRVALÉHO BYDLISKA


REPORTED DISEASES OF SYPHILIS AND GONOCOCCAL INFECTION
ACCORDING TO PERMANENT ADDRESS

Graf 3




VÝSKYT OCHORENÍ NA SYFILIS PODĽA KRAJOV
INCIDENCE OF SYPHILIS DISEASES ACCORDING TO REGIONS

Graf 4



VÝSKYT OCHORENÍ NA GONOKOKOVÚ INFEKCIU PODĽA KRAJOV
INCIDENCE OF GONOCOCCAL INFECTION DISEASES ACCORDING TO REGIONS


Graf 5



HLÁSENÉ OCHORENIA NA SYFILIS PODĽA TRVALÉHO BYDLISKA NA 100 000 OBYVATEĽOV

REPORTED DISEASES OF SYPHILIS ACCORDING TO PERMANENT ADDRESS
PER 100 000 INHABITANTS

Mapa 1




Poznámka: Bielu farbou sú označené okresy, kde sa ochorenie nevyskytovalo.

Note: Disease has not occurred in white coloured districts.

HLÁSENÉ OCHORENIA NA GONOKOKOVÚ INFEKCIU PODĽA TRVALÉHO BYDLISKA NA 100 000 OBYVATEĽOV

REPORTED DISEASES OF GONOCOCCAL INFECTION ACCORDING
TO PERMANENT ADDRESS PER 100 000 INHABITANTS

Mapa 2



Poznámka: Bielu farbou sú označené okresy, kde sa ochorenie nevyskytovalo.

Note: Disease has not occurred in white coloured districts.